



RAZE GUIDE

The information in this packet is provided to help guide you through the permit application process. This packet will also provide you with information regarding how to submit an Erosion Control Plan for review.

Page 2-3: Permit Application Guide
Page 4-8: Zoning Code Requirements
Page 9-15: Permit Applications



(10/18)

PERMIT APPLICATION GUIDE

***BEFORE A RAZE PERMIT WILL BE ISSUED, YOU MUST HAVE AN APPROVED EROSION CONTROL PLAN**

1. To obtain a Raze Permit, submit an Erosion Control Plan, completed Building Permit Application, and Licensed Contractor Plumbing Permit (if applicable) to the Department of Community and Economic Development, Room 608. See page 3 for methods to apply for the permit.
2. Once the Erosion Control Plan is approved by the Erosion and Sediment Control Specialist, the Raze Permit can be issued.

For submittal, fill out and follow the *Erosion Control Plan Submittal Application*, which will give you a step by step guide on what is needed for review. Also fill out the *Erosion Control Permit Application*. For any questions regarding Erosion Control, please contact:

Michael DeBauche, Erosion and Sediment Control Specialist
(920) 448-3301 or michaeldeb@greenbaywi.gov

3. If capping any plumbing lines, have a licensed plumber fill out a Plumbing Permit.
4. If doing any work in the street right-of-way or parking equipment on the street, you will need to secure the following permits from the Department of Public Works:
 - Street Obstruction Permit (parking equipment on street)
 - Street Excavation Permit (digging in right-of-way, i.e. apron, sidewalks, and curbs)
5. After raze is completed, follow up with all Best Management Practices relating to the approved Erosion Control Plan and site will need to be stabilized.

- *Note:** There will be no need for an Erosion Control Plan for any of the following:
- Razing just a garage with no excavating
 - Less than 4,000 sq. ft. of land disturbance
 - Less than 100 cu. yd. of excavating

Permit Fees:

- Submit the applicable permit fees.
 - Residential House Raze will require a \$175 Building Permit fee (\$50 Building Permit, \$50 Plumbing Permit, \$50 Erosion Control Permit, and \$25 Erosion Control Site Plan review).
 - Residential Garage Raze will require a \$50 Building Permit fee.
 - Commercial Raze will require a \$240 Building Permit fee (\$70 Building Permit, \$70 Plumbing Permit, \$50 Erosion Control Permit, and \$50 Erosion Control Site Plan review).
- Make checks payable to City of Green Bay, or
- Pay online through GovPayNet –
<http://www.greenbaywi.gov/DocumentCenter/View/943/Online-Payment-Instructions-PDF>
- A project number must be assigned by Inspection office staff before making a payment online. A service fee will be charged for online payment.

Apply for the Permit:

Please plan ahead and pick one of the following methods to apply for your permit. Make sure all of the required information listed above is included and submit it to the Department of Community and Economic Development using one of the methods listed below:

- ***In Person with an Inspector at City Hall:***
 - This is the best method to discuss the specifics of your project with an inspector. Typically if all the required information is submitted and found acceptable, the permit can be issued at that time.
 - Inspectors are available for consultation and permit issuance 8:00 a.m. - 4:00 p.m., Monday through Friday.
- ***By Email:***
 - Email all the required information (Erosion Control Plan and Permit Application) to SitePlanGB@greenbaywi.gov.
- ***By Mail:***
 - City of Green Bay
Department of Community and Economic Development
100 N. Jefferson Street, Room 608
Green Bay, WI 54301

Submittal Checklist:

- Building Permit Application Long Form
- Licensed Contractor Plumbing Permit
- Erosion Control Plan including Erosion Control Plan Submittal Application and Erosion Control Permit Application

THINGS TO CONSIDER

CITY OF GREEN BAY RAZING OF STRUCTURES

1. SCOPE OF WORK

The work under this contract shall consist of razing the residential structure(s) at the specified address, filling all basements, crawl spaces and excavated areas with approved granular material, topsoil, and seed. All work shall be done in accordance with the requirements of the "CITY OF GREEN BAY STANDARD SPECIFICATIONS AND CONSTRUCTION STANDARDS FOR PUBLIC WORKS CONSTRUCTION."

2. RAZING OF STRUCTURE

The residence to be razed under this contract has been condemned by the City's Department of Community and Economic Development - Inspection Division in accordance with Municipal Ordinance 23.14. Consequently, the Contractor should be aware that the City does not own the property or residence. The contractor shall verify with the City that the residence is vacant before proceeding with demolition.

The razing operation shall be conducted in accordance with City of Green Bay Ordinance #15.65 §201 of the City Standard Specification (unless otherwise amended herein), and all other applicable State and Federal regulations, after having taken out a razing permit from the Building Inspection Division. All concrete and bituminous drives, steps, sidewalks, and the like within the property lines of the parcel shall be broken up, removed, and disposed of. Any fences or other on-site manmade amenities shall be removed. All loose material and debris shall be removed from the basement and other excavated areas. The basement or foundation floor shall then be broken into not greater than 2' x 2' pieces to assure water drainage and prevent water build-up. All remaining exterior walls, interior bearing walls, and partitions shall be removed to a point 3' below sidewalk grade or the existing ground grade, whichever is lowest.

ORDINANCE #15.65 RAZING OF BUILDINGS.

- (1) **PERMIT REQUIRED.** No person shall hereafter raze any building in the City without first securing a permit therefor from the Division of Building Inspection and a permit for the sealing of the sewer from the Plumbing Supervisor.
- (2) **REQUIREMENTS.** The holder of a permit to raze a building shall comply with the following requirements:
 - (a) **Property to be protected.** Streets, alleys, and private property shall be properly protected by erecting proper fences and scaffolds. If scaffolds are to be built on streets or alleys, they shall be properly protected with a top cover of planks, guardrails, and toe-boards to prevent the falling of debris on sidewalks or streets. The top of the scaffold shall be at least 8' above the sidewalk or alley.
 - (b) **Walls to be supported.** No person shall remove all horizontal support from exterior walls or partitions thereby permitting them to stand unsupported.
 - (c) **Buildings to be Razed Floor-by-Floor.** In buildings of more than one story, the exterior walls, interior partitions, and other supports shall be removed floor-by-floor, using the floor below as protection from falling debris and to prevent exterior and interior walls from collapsing.

- (d) Razing to be Gradual. No walls, chimneys, or other construction shall be allowed to fall en masse on a floor; and bulky material such as beams and columns shall be lowered and not thrown.
- (e) Cranes. Cranes may be used in wrecking or demolishing buildings provided the above requirements are complied with.
- (f) Sewers. When a building is moved or demolished, its sewer shall be located at a point outside the foundation lines and sealed off. The plug or seal shall not be covered until approval has been given by the Plumbing Supervisor.
- (g) Obstruction of Streets. When razing requires the obstruction of a public street, alley, or sidewalk, a permit must be obtained from the Director of Public Works as provided in §9.27, Green Bay Municipal Code, before starting work on razing of the structure.

3. UTILITY SERVICES AND PIPING

Wisconsin State Statute 182.0175 requires that the contractor who engages in excavation or demolition must notify utility service owners at least three working days before excavation. Any electrical, gas, water and telephone/cable services to the structure shall be properly disconnected prior to razing.

All utility piping, basement drains, sewers, and the like shall be cut off at the building line and permanently bulkheaded by a method approved by the City Plumbing Inspector prior to moving or razing operations. The City Inspection Division shall be notified when bulkheads are completed and before filling operations are begun

4. HAZARDOUS WASTE

Any material encountered in the demolition process that is classified as a hazardous waste by the State of Wisconsin Department of Natural Resources must be separated, contained, and disposed of according to applicable provisions of the Wisconsin Administrative Code, including but not limited to Chapter NR 181, and applicable Federal regulations.

5. AIR QUALITY

The Contractor shall make every effort to keep construction dust to a minimum as required by the Wisconsin Administrative Code and as directed by the Building Inspector. In all phases of the demolition process, the Contractor must follow State and Local codes. The City of Green Bay will follow the asbestos regulations of Chapter NR 447, Wisconsin Administrative Code, and have the structure inspected for any asbestos containing materials (ACM) and abate any friable or potentially friable ACM prior to issuing the "written notice to proceed" from the building inspector.

6. DISPOSABLE MATERIAL

All salvageable material and all other demolition waste is the property of the contractor and must be removed from the premises. Excessive accumulation of either salvageable material or demolition waste will not be permitted. All materials shall be disposed of by the Contractor in consistency with ordinances of the City of Green Bay and Brown County, and with regulations set forth in the State of Wisconsin Administrative Code. Upon the City's request, the Contractor shall provide proof (such as scale tickets) that all demolition waste has been disposed of at an approved landfill site.

7. FILLING BASEMENTS AND EXCAVATED AREAS

All loose materials and debris shall be removed from the basements, crawl spaces and other excavated areas. Upon ascertaining that all openings, pipelines and drains, etc., have been properly

capped, all basements, crawl spaces, excavated areas, and other below grade voids resulting from the removal of pavements, slabs, foundations and the like shall be filled, to within 4" of finished grade, with granular fill material meeting the following requirements: 100% shall pass the 3 inch screen and no more than 8% by weight shall pass the No. 200 screen. The material shall be well graded, free from debris and organic material. All granular fill shall be placed in layers of 12 inches or less and shall be compacted to not less than 95% of Modified Proctor (ASTM D-1557). The remaining 4" shall be top soiled, seeded and mulched in accordance with Section 801 of the City Standard Specifications.

Any areas of open "excavation" must be immediately barricaded and fenced off with standard snow fence to prevent access by the public. Yellow flashers shall be mounted on said snow fence at 20' intervals minimum when left in place overnight. Barricading shall be done in a manner acceptable to the Building Inspector.

8. PROTECTION AND RESTORATION OF PROPERTY

The Contractor shall use every reasonable precaution to prevent the damage or destruction of all overhead structures such as wire, cables, etc., and all underground structures such as water or gas shut-off boxes, water meter, pipes, conduits, etc., within or outside of the right-of-way. The Contractor shall be responsible for any damage to such items.

The Contractor shall notify the owners of all corporate or private property, which interferes with or abuts the work, advising them of the nature of any interference, and shall arrange with them for the disposition of such property. The contractor shall furnish the Building Inspector upon request with copies of all such notifications and final agreements.

The Contractor shall use extreme caution to protect streetlights and other City property within the right-of-way limits, and will be responsible for any damage. In particular, the Contractor shall replace any damaged concrete sidewalk or surface pavement.

The Contractor shall be responsible for the damage or destruction of property resulting from neglect, misconduct, or omission in his manner or method of execution of non-execution of the work, and shall restore such property to a condition similar or equal to that existing before damage was done.

9. OBSTRUCTION OF STREETS

No streets can be closed, or traffic patterns altered, without prior approval from the Building Inspector. All work sites, streets, and sidewalks affected by this contract shall be signed and barricaded in accordance with the "MANUAL OF TRAFFIC CONTROLS FOR STREET CONSTRUCTION AND MAINTENANCE OPERATIONS FOR THE CITY OF GREEN BAY".

The Contractor shall at all times conduct the work in such a manner as to insure ingress and egress to all occupied business establishments and residences abutting the project area.

10. CONSTRUCTION SITE EROSION CONTROL

The Contractor shall comply with Section 13.60 of the City of Green Bay Municipal Code (Construction Site Erosion Control Ordinance) at all times while performing the work under this Contract. The Contractor shall prepare and submit an erosion control plan to the Building Inspector. No work shall commence until an erosion control plan has been approved by the Building Inspector.

11. (2) LITTERING AT RAZING OR REMOVAL SITE.

No person shall leave litter, building debris, excavations, or ground piles on property on which a building is being razed or from which a building has been moved. If work is not being done in a satisfactory manner or is not progressing thus causing a public safety hazard and nuisance, the Building Inspection Division shall, after a written notice specifying a definite period within which persons concerned shall clean up the property and level off the ground to the adjoining level, the City shall cause such work to be done; and the cost thereof shall be borne by the property or the property owner.

12. CURB REPLACEMENT 13-1706(H)

Driveways which have been abandoned and are not included on the approved site plan shall be removed, in their entirety, to the setback line and replaced at the property owner's expense with full height curb and sidewalk (where applicable).

13. RAT PREVENTION 8.07(n)

Prior to demolition or moving of any building, the owner shall use rat-eradication measures and take all reasonable efforts to abate the rat infestation prior to commencing demolition or moving of the structure.

This page is intentionally left blank.



PROJECT PERMITS APPLICATION

Department of Community
and Economic Development
100 N. Jefferson Street, Rm 608
Green Bay, WI 54301-5026
(920) 448-3300 - phone
(920) 448-3426 - fax
inspmail@greenbaywi.gov

www.greenbaywi.gov

All fields must be completed before permit will be processed.

Project Address		Parcel #	Project # (assigned by City)				
Property Owner		Contractor					
Name		Name					
Company (if applies)		Company					
Address		Address					
City, State, Zip		City, State, Zip					
Phone #		Phone #					
Email		Email					
Current Land Use, Flood Plain & Zoning (check which applies)							
Land Use: Vacant Lot I-Family 2-Family Multi-Family # of units _____ Commercial (describe) _____							
Zoning: R-1 R-2 R-3 RR OR NC D C-1 C-2 C-3 LI GI BP PI CON TND							
Flood Plain: Yes Base Flood Elevation (BFE) No							
Project Scope: New Addition Alteration Repair Move Raze (demolish) Change-of-use (check all that apply) Height _____ Area: Finished _____ Unfinished _____ Total Bldg: _____							
Description of Project ↓:			Estimated Cost of Construction \$ _____				
Plan Approvals							
P	PLBG Plan	# _____	City	SBD \$ _____	<input type="checkbox"/> Erosion Control # _____	City	<input type="checkbox"/> SBD \$ _____
	SVWR Plan	# _____	City	SBD \$ _____	<input type="checkbox"/> Building Plan # _____	<input type="checkbox"/> City	<input type="checkbox"/> SBD \$ _____
	Foot & Found Only	# _____	City	SBD \$ _____	<input type="checkbox"/> HVAC Plan # _____	<input type="checkbox"/> City	<input type="checkbox"/> SBD \$ _____
					<input type="checkbox"/> Site Plan # _____		\$ _____
Contractors (UDC Numbers Required): DCC # _____ DCQ # _____							
<input type="checkbox"/> BLDG -			Bldg Fee				
			\$ _____				
<input type="checkbox"/> ELEC -			Elec Fee				
			\$ _____				
<input type="checkbox"/> HVAC -			Hvac Fee				
			\$ _____				
<input type="checkbox"/> PLBG - _____ # of Fixtures			Plbg Fee				
			\$ _____				
<input type="checkbox"/> SWRS -			Swrs Fee				
			\$ _____				
			<input type="checkbox"/> Water Fee \$ _____ <input type="checkbox"/> Storm Fee \$ _____ <input type="checkbox"/> Sanitary Fee \$ _____ Assessment \$ _____ Assessment \$ _____ Assessment \$ _____				
<input type="checkbox"/> CERTIFICATE OF OCCUPANCY			C.O.				
			\$ _____				
<input type="checkbox"/> EROSION CONTROL			Erosion Ctrl				
			\$ _____				
<input type="checkbox"/> ADDITIONAL PERMITS (Sprinklers # _____, Curb Cut, Flood Plain, Temp. Occupancy, Etc.) (Please List)			Addl. Fee				
			\$ _____				
<input type="checkbox"/> DOUBLE FEE PERMIT [s.15.07(b)] If application for a building permit has not been obtained prior to commencement of the job, applicable permit fee shall be doubled.			Double Fee				
			\$ _____				
Application Signature The applicant certifies that information submitted herein is accurate; agrees to comply with the Wisconsin Administrative Code, Municipal Ordinance, and with the conditions of this permit; and understands that permit issuance creates no legal liability, expressed or implied, on the Department or Municipality.							
_____ Signature of Applicant				_____ Date			
For Office Use Only							
Reviewed By _____		Credential # _____	Class Code	Census	Receipt No.	Total Fee	

To schedule an inspection, call (920) 448-3300 between 8:00 a.m. and 4:00 p.m. at least one business day prior to inspection date needed. Final inspections are required for all projects.

This page is intentionally left blank.



LICENSED CONTRACTOR PLUMBING PERMIT

Department of Community
 and Economic Development
 100 N. Jefferson Street, Rm 608
 Green Bay, WI 54301-5026
 (920) 448-3300 - phone
 (920) 448-3426 - fax
inspmail@greenbaywi.gov

All fields must be completed before permit will be processed.

Project Address: _____

Owner: _____

Plumbing / Utility Contractor: _____

Contractor's Email: _____

Contractor's Phone #: _____ Value of Work: _____

This section for City use only	
Project #:	_____
Permit Code:	_____
Permit Fee:	_____
Parcel #:	_____
Receipt #:	_____
Date:	_____

I hereby make application for a permit for the following described sewer/plumbing work at the above location.

FIXTURES ROUGHED IN FOR AND/OR INSTALLED (please check and indicate the number of fixtures)

General Plumbing	<input type="checkbox"/> Storm Sewer Connection
<input type="checkbox"/> New System	<input type="checkbox"/> Mini Storm Sewer
<input type="checkbox"/> Addition/Remodel	<input type="checkbox"/> Sewer Cap
<input type="checkbox"/> Alteration	<input type="checkbox"/> Sewer/Water Repair
<input type="checkbox"/> Water Service Connection	<input type="checkbox"/> Water Heater
<input type="checkbox"/> Sanitary Sewer Connection	<input type="checkbox"/> Palmer Valve
	Total Fixtures:

Other/Description:

To schedule an inspection, call (920) 448-3300 between 8:00 a.m. and 4:00 p.m. at least one business day prior to inspection date needed. Final inspections are required for all projects.

Contractor's Signature: _____ Master Plumber Credential # _____

Check box for Online Payment

The information below must be provided for notification of project number and permit fee. This information is required to make payment online.

Phone _____ Fax _____ Email _____

Excerpt from City of Green Bay Plumbing Code:

Section 16.06 Permit must be procured before starting work: If any work regulated by the Plumbing Ordinance for which a permit is required is commenced without a permit first having been obtained thereof, double the permit fee herein prescribed shall be paid when a permit finally is obtained. Payment of any fee mentioned in this Section, however, shall in no way relieve any person of the penalties that may be imposed for violation of the Plumbing Ordinance.

This page is intentionally left blank.



EROSION CONTROL PERMIT APPLICATION

**Department of Community
and Economic Development**
100 N. Jefferson Street, Rm 608
Green Bay, WI 54301-5026
(920) 448-3300 - phone
(920) 448-3426 - fax
inspmail@greenbaywi.gov

Small Site General Instructions: Submit this application and erosion control plan demonstrating compliance with Ch. 34, Green Bay Municipal Ordinance and/or Ch. SPS 321.125, Uniform Dwelling Code, for sites covering less than one acre and/or one- or two-family residential construction prior to commencing land-disturbing construction or land-development activity to Room 610.

Large Site General Instructions: Submit application and erosion control plan demonstrating reasonable compliance with Ch. 34, Green Bay Municipal Ordinance, for sites one acre or greater in size prior to commencing land-disturbing construction or land-development activity to Room 610.

Excavation within Public Rights-Of-Way General Instructions: Submit this application and erosion control plan demonstrating compliance with Ch. 34, Green Bay Municipal Ordinance for land disturbances covered within section 34.04(1) (a) 1. 4,000 SF; 4. 100 LF of drainage conveyance impacts; 6. 300 LF of underground utility work; and/or 7. 100 CY or greater of excavation volume prior to commencing land-disturbing construction or land-development activity to Room 300.

Address/Street of land-disturbing activity:	Parcel #:	Zoning District:	Project #:	Site #
APPLICANT Property Owner General Contractor	EROSION CONTROL CONTRACTOR		Same as Applicant	
Name	Name			
Company	Company			
Address	Address			
City, State, Zip	City, State, Zip			
Phone	Phone			
Email	Email			

Description of Activity:

Raze Site Fill Site Excavation Site Construction Site Acres _____ Start _____ End _____

Erosion Control Plan: (provide 3 copies) *Must demonstrate compliance with Ch. 34, Green Bay Municipal Ordinance and/or Ch. SPS 321.125 UDC, including but not limited to all of the following:

- | | |
|--|--|
| <ol style="list-style-type: none"> 1. Application 2. Property legal description 3. Existing site map / plan 4. Final site map / plan | <ol style="list-style-type: none"> 5. Site construction plan 6. Soil loss prediction tool / spreadsheet 7. Erosion & Sediment Control Plan Statement (Narrative description of who, what, when, where, how things will be completed on the proposed site(s)). |
|--|--|

Applicant Signature: _____ Date: _____

Following sections to be completed by the City of Green Bay

Plan Approval: Permit is void unless signed by the Erosion Control Specialist.

Erosion Control Plan reviewed and approved by Erosion Control Specialist: _____ Date: _____

Permit Issuance:

1. **Duration** – This erosion control permit shall remain valid for a period of 180 days or for the length of the building permit, whichever is longer. The Erosion Control Specialist or designated representative may extend the period one or more times for up to an additional 180 days, and may require additional erosion control measures as a condition of the extension if necessary to meet the requirements of this ordinance.

Permit Expiration Date: _____

2. **Surety Bond** - As a condition of approval and issuance of the permit, the Public Works Director may require the applicant to deposit a surety bond or irrevocable letter of credit to guarantee a good faith execution of the erosion control plan.

Surety Bond Amount \$ _____ Date Filed: _____

3. **Conditions of Approval** - This permit approval requires the applicant to:

- a. Notify the Erosion Control Specialist / designated representative at least **48 hours before** commencing any land-disturbing construction or land-development.
- b. Notify the Erosion Control Specialist / designated representative of completion of any erosion control measures within seven days after their installation.
- c. Obtain permission in writing from the Erosion Control Specialist / designated representative prior to modifying the erosion control plan.
- d. Install all erosion control measures as identified in approved erosion control plan.
- e. Maintain all road drainage systems, storm water drainage systems, control measures, and other facilities identified in erosion control plan.
- f. Repair any siltation or erosion damage to adjoining surfaces and roadways resulting from land-developing construction or land-disturbing activities.
- g. Inspect the construction erosion control measures after each rain of 0.5" or more and at least once each week and make needed repairs.
- h. Allow the Erosion Control Specialist / designated representative to enter the site for the purpose of inspecting compliance with the erosion control plan or for performing any work necessary to bring the site into compliance with the erosion control plan.
- i. Keep a copy of the approved erosion control plan on the site.
- j. Submit weekly inspection reports to the Erosion Control Specialist via e-mail at erosioncontrol@greenbaywi.gov

Failure to comply with any of these conditions may subject the permittee to corrective action, fines, and/or revocation of the permit at permittees sole expense.

Permit Issued By: _____ 13 Date: _____

This page is intentionally left blank.



EROSION CONTROL PLAN SUBMITTAL APPLICATION

Department of Community
and Economic Development
100 N. Jefferson Street, Rm 608
Green Bay, WI 54301-5026
(920) 448-3300 - phone
(920) 448-3426 - fax
inspmail@greenbaywi.gov

Project Name: _____ Project Address: _____

Parcel #: _____ Project#: _____ Site#: _____

This form must be completely filled out by the applicant prior to submitting the application. All required information must be submitted with the application or it will be deemed incomplete and delay the permitting process. Applicants should initial next to each required field to confirm that it has been provided with the application.

Erosion Control Plan Requirements and Erosion Control Narrative / Statement

Owner Information (Application Form)

- _____ Name
- _____ Address
- _____ Telephone number
- _____ E-mail address

Erosion Control Contractor (Application Form)

- _____ Name
- _____ Address
- _____ Telephone number
- _____ E-mail address

Site Plan (Existing Site Conditions)

- _____ A legal description of the property proposed to be developed
- _____ Existing site conditions on a scale of at least 1" equals 100'
- _____ Identify site boundaries and adjacent lands which accurately identify site location
- _____ Identify lakes, streams, wetlands, channels, ditches, and other water courses on the site and adjacent lands
- _____ Identify the location of the 100-year floodplain/flood fringe and floodway
- _____ Identify the predominant soil types
- _____ Identify the location and general identification of the vegetative cover
- _____ Identify the location and dimensions of storm water drainage systems and natural drainage patterns on and immediately adjacent to the site
- _____ Identify the locations and dimensions of utilities, structures, roads, highways, and paving
- _____ Identify the site topography at a contour interval not to exceed 2'

Site Construction Plan (Proposed Site Conditions)

- _____ Identify the location and dimensions of all proposed land-disturbing construction/activities
- _____ Identify the locations and dimensions of all temporary soil or dirt stockpiles
- _____ What are the proposed best management practices (BMPs) with installation details
- _____ Identify the locations and dimensions of all construction site erosion control measures necessary to meet the requirements of this ordinance
- _____ Schedule of anticipated starting and completion date of each land-disturbing construction or land-developing activity, including the installation of construction site erosion control measures needed to meet the requirements of this ordinance
- _____ Provisions for maintenance of the construction site erosion control measures during construction
- _____ Submittal of all soil loss prediction tool results and iterations

Erosion and Sediment Control Statement/ Narrative

- _____ Erosion and sediment control plan statement shall briefly describe the site, the development schedule, and the BMPs that will be used to meet the requirements of the ordinance
- _____ What are the performance standards applicable to the site

Application Soil Loss Equation Erosion and Sediment Control Narrative Site Plan Site Construction Plan

Applicant hereby certifies that the information contained herein is complete and accurate to the best of applicant's knowledge.

Signed: _____ Date: _____